



# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%)

## Pendimethalin

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision date: 04/15/2014 Date of issue: 11/25/2013

Version: 1.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin - EPA Registration No.: 10404-82; 10404-98; 10404-100; 10404-101; 10404-102

**Synonyms:** Dinitroaniline

**Other means of identification:** N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine

### 1.2. Intended Use of the Product

**Use of the substance/mixture:** Pesticide & Fertilizer

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

LESCO, Inc.  
1385 East 36th St  
Cleveland, OH 44114  
T 800-347-4272

### 1.4. Emergency Telephone Number

**Emergency Number** : 1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification (GHS-US)

Acute Tox. 4 (Oral) H302  
Skin Irrit. 2 H315  
Eye Irrit. 2A H319  
Skin Sens. 1 H317  
Carc. 1B H350  
STOT SE 3 H335

### 2.2. Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Danger

#### Hazard Statements (GHS-US)

: H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H350 - May cause cancer (inhalation)

#### Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P261 - Avoid breathing dust  
P264 - Wash exposed areas thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

unwell  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 - If exposed or concerned: Get medical advice/attention  
P312 - Call a POISON CENTER or doctor if you feel unwell  
P321 - Specific treatment (see Section 4)  
P330 - If swallowed, rinse mouth  
P332+P313 - If skin irritation occurs: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362 - Take off contaminated clothing  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P391 - Collect spillage  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up  
P501 - Dispose of contents/container to local, regional, national and international regulations.

### 2.3. Other Hazards

#### Other Hazards Not Contributing to the Classification:

Pendimethalin is a strongly orange-red colored compound – virtually an aniline dye. Cases have been described of orange-yellow coloration of urine following heavy exposure of workers to the dust of pendimethalin. Despite its structure as both a nitro-compound and aromatic amine, exposure to pendimethalin is NOT associated with methemoglobinemia.

This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard.

Prevent dust accumulation (to minimize explosion hazard).

Hazardous to the aquatic environment - Acute Hazard Category 1.

Hazardous to the aquatic environment - Chronic Hazard Category 3.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name   | Product Identifier | %        | Classification (GHS-US)  |
|--|--------------------|----------|--|
| Urea   | (CAS No) 57-13-6   | 0.1 - 98 | Not classified   |
| Sulfuric acid, dipotassium salt              | (CAS No) 7778-80-5 | 0.1 - 95 | Not classified   |
| Diammonium phosphate                         | (CAS No) 7783-28-0 | 0.1 - 95 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>STOT SE 3, H335<br>Aquatic Acute 3, H402 |
| Potassium chloride                           | (CAS No) 7447-40-7 | 0.1 - 95 | Eye Irrit. 2B, H320  |
| Monoammonium phosphate                       | (CAS No) 7722-76-1 | 0.1 - 95 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>STOT SE 3, H335                          |
| Ammonium sulfate                             | (CAS No) 7783-20-2 | 0.1 - 95 | Not classified   |
| Carbonic acid, calcium salt (1:1)            | (CAS No) 471-34-1  | 0.1 - 95 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320   |
| Sulfur                                       | (CAS No) 7704-34-9 | 0.1 - 20 | Comb. Dust, H232<br>Skin Irrit. 2, H315  |
| Iron oxide (Fe <sub>2</sub> O <sub>3</sub> ) | (CAS No) 1309-37-1 | 0.1 - 10 | Comb. Dust, H232<br>Aquatic Chronic 2, H411  |
| Magnesium sulfate                            | (CAS No) 7487-88-9 | 0.1 - 10 | Skin Sens. 1, H317   |
| Ferrous sulfate                              | (CAS No) 7720-78-7 | 0.1 - 10 | Acute Tox. 3 (Oral), H301<br>Skin Irrit. 2, H315                                       |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                         |                     |            |  |
|-------------------------|---------------------|------------|--|
|                         |                     |            | Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400   |
| Manganese oxide (Mn3O4) | (CAS No) 1317-35-7  | 0.1 - 10   | Not classified   |
| Pendimethalin           | (CAS No) 40487-42-1 | 0.75 - 1.5 | Aquatic Acute 1, H400  |
| 1,2-Dichloroethane      | (CAS No) 107-06-2   | 0.1 - 1    | Flam. Liq. 2, H225<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Carc. 1B, H350<br>STOT SE 3, H335 |

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**First-aid Measures After Inhalation:** If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

**First-aid Measures After Ingestion:** Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Harmful if swallowed. Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals.

**Symptoms/Injuries After Inhalation:** Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

**Symptoms/Injuries After Skin Contact:** Causes skin irritation. May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

**Chronic Symptoms:** May cause cancer (inhalation).

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use water jet. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but will burn at high temperatures. . Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

**Explosion Hazard:** May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

**Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

### 5.3. Advice for Firefighters

**Firefighting Instructions:** Not flammable. Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

##### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

##### 6.1.2. For Emergency Responders

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

#### 6.2. Environmental Precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

**Methods for Cleaning Up:** Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** This material becomes slippery when wet.

**Precautions for Safe Handling:** Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

**Hygiene Measures:** Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.

**Incompatible Products:** Strong acids. Strong bases. Strong oxidizers.

**Prohibitions on mixed storage:** Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

**Special Rules on Packaging:** Corrosive to copper and its alloys.

#### 7.3. Specific End Use(s)

Fertilizer.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

| Carbonic acid, calcium salt (1:1) (471-34-1)             |                                      |                        |
|--|--------------------------------------|------------------------|
| USA NIOSH  | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>    |
| Iron oxide (Fe <sub>2</sub> O <sub>3</sub> ) (1309-37-1) |                                      |                        |
| USA ACGIH  | ACGIH TWA (mg/m <sup>3</sup> )       | 5 mg/m <sup>3</sup>    |
| USA NIOSH  | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>    |
| USA IDLH   | US IDLH (mg/m <sup>3</sup> )         | 2500 mg/m <sup>3</sup> |
| USA OSHA   | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 5 mg/m <sup>3</sup>    |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 1,2-Dichloroethane (107-06-2) |                                       |                     |
|-------------------------------|---------------------------------------|---------------------|
| USA ACGIH                     | ACGIH TWA (ppm)                       | 10 ppm              |
| USA NIOSH                     | NIOSH REL (TWA) (mg/m <sup>3</sup> )  | 4 mg/m <sup>3</sup> |
| USA NIOSH                     | NIOSH REL (TWA) (ppm)                 | 1 ppm               |
| USA NIOSH                     | NIOSH REL (STEL) (mg/m <sup>3</sup> ) | 8 mg/m <sup>3</sup> |
| USA NIOSH                     | NIOSH REL (STEL) (ppm)                | 2 ppm               |
| USA IDLH                      | US IDLH (ppm)                         | 50 ppm              |
| USA OSHA                      | OSHA PEL (TWA) (ppm)                  | 50 ppm              |
| USA OSHA                      | OSHA PEL (Ceiling) (ppm)              | 100 ppm             |

### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Ensure all national/local regulations are observed.

#### Personal Protective Equipment

: Gloves. Protective clothing. In case of dust production: protective goggles.



#### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

#### Hand Protection

: Protective gloves.

#### Eye Protection

: In case of dust production: protective goggles.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

#### Environmental Exposure Controls

: Ensure adequate ventilation, especially in confined areas.

#### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|  |                              |
|--|------------------------------|
| Physical State                             | : Solid                      |
| Appearance                                 | : Yellow granules.           |
| Odor                                       | : Nutty                      |
| Odor Threshold                             | : No data available          |
| pH   | : No data available          |
| pH solution                                | : Not applicable             |
| Relative Evaporation Rate (butylacetate=1) | : No data available          |
| Melting Point                              | : 133°C (271.4°F) Urea       |
| Freezing Point                             | : No data available          |
| Boiling Point                              | : No data available          |
| Flash Point                                | : No data available          |
| Auto-ignition Temperature                  | : No data available          |
| Decomposition Temperature                  | : No data available          |
| Flammability (solid, gas)                  | : No data available          |
| Vapor Pressure                             | : No data available          |
| Relative Vapor Density at 20 °C            | : No data available          |
| Relative Density                           | : No data available          |
| Specific Gravity                           | : Not available              |
| Density                                    | : 45 - 65 lb/ft <sup>3</sup> |
| Solubility                                 | : Water: disperses           |
| Log Pow                                    | : No data available          |
| Log Kow                                    | : No data available          |
| Viscosity, Kinematic                       | : No data available          |
| Viscosity, Dynamic                         | : No data available          |
| Explosive Properties                       | : No data available          |
| Oxidizing Properties                       | : No data available          |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Explosive Limits** : Not applicable

**9.2. Other Information** No additional information available

### SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

**10.2 Chemical Stability:** Stable at standard temperature and pressure.

**10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Protect from moisture. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.

**10.5 Incompatible Materials:** May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with : Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys. Strong acids. Strong bases. Strong oxidizers.

**10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO<sub>2</sub>). Formaldehyde. Cyanuric acid. Hydrogen cyanide.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information On Toxicological Effects

**Acute Toxicity** : Harmful if swallowed.

| LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin |                               |
|--|-------------------------------|
| LD50 Dermal Rat  | mg/kg                         |
| Sulfuric acid, dipotassium salt (7778-80-5)              |                               |
| LD50 Oral Rat  | 6600 mg/kg                    |
| Diammonium phosphate (7783-28-0)                         |                               |
| LD50 Oral Rat  | 6500 mg/kg                    |
| LD50 Dermal Rabbit                                       | > 7950 mg/kg                  |
| Potassium chloride (7447-40-7)                           |                               |
| LD50 Oral Rat  | 2600 mg/kg                    |
| Monoammonium phosphate (7722-76-1)                       |                               |
| LD50 Oral Rat  | 5750 mg/kg                    |
| LD50 Dermal Rabbit                                       | > 7940 mg/kg                  |
| Ammonium sulfate (7783-20-2)                             |                               |
| LD50 Oral Rat  | 2000 mg/kg                    |
| Carbonic acid, calcium salt (1:1) (471-34-1)             |                               |
| LD50 Oral Rat  | 6450 mg/kg                    |
| Sulfur (7704-34-9)                                       |                               |
| LD50 Oral Rat  | > 3000 mg/kg                  |
| LD50 Dermal Rabbit                                       | > 2000 mg/kg                  |
| LC50 Inhalation Rat (mg/l)                               | > 9.23 mg/l/4h                |
| Iron oxide (Fe <sub>2</sub> O <sub>3</sub> ) (1309-37-1) |                               |
| LD50 Oral Rat  | > 10000 mg/kg                 |
| Ferrous sulfate (7720-78-7)                              |                               |
| LD50 Oral Rat  | 237 mg/kg                     |
| 1,2-Dichloroethane (107-06-2)                            |                               |
| LD50 Oral Rat  | 625 mg/kg                     |
| LD50 Dermal Rabbit                                       | 2800 mg/kg                    |
| LC50 Inhalation Rat (ppm)                                | 1000 ppm (Exposure time: 7 h) |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |   |
|--|---|
| <b>Urea (57-13-6)</b>  |   |
| <b>ATE (Oral)</b>  | 8471.000 mg/kg  |
| <b>Skin Corrosion/Irritation:</b> Causes skin irritation.                      |   |
| <b>Serious Eye Damage/Irritation:</b> Causes serious eye irritation.           |   |
| <b>Respiratory or Skin Sensitization:</b> May cause an allergic skin reaction. |   |
| <b>Germ Cell Mutagenicity:</b> Not classified                                  |   |
| <b>Carcinogenicity:</b> May cause cancer.                                      |   |
| <b>Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)</b>                    |   |
| <b>IARC group</b>  | 3   |
| <b>1,2-Dichloroethane (107-06-2)</b>   |   |
| <b>IARC group</b>  | 2B  |
| <b>National Toxicity Program (NTP) Status</b>                                  | Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen. |

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Potential Adverse Human Health Effects and Symptoms:** Harmful if swallowed.

**Symptoms/Injuries After Inhalation:** Irritating to the respiratory system and mucous membranes. May cause cancer by inhalation. May cause drowsiness or dizziness.

**Symptoms/Injuries After Skin Contact:** Causes skin irritation. May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

**Chronic Symptoms:** May cause cancer.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life with long lasting effects.

|  |   |
|--|---|
| <b>Sulfuric acid, dipotassium salt (7778-80-5)</b> |   |
| <b>LC50 Fish 1</b>                                 | 653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)                               |
| <b>EC50 Daphnia 1</b>                              | 890 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                     |
| <b>EC50 Other Aquatic Organisms 1</b>              | 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)                          |
| <b>LC 50 Fish 2</b>                                | 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                     |
| <b>Diammonium phosphate (7783-28-0)</b>            |   |
| <b>LC50 Fish 1</b>                                 | 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)                              |
| <b>LC 50 Fish 2</b>                                | 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])        |
| <b>Potassium chloride (7447-40-7)</b>              |   |
| <b>LC50 Fish 1</b>                                 | 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                     |
| <b>EC50 Daphnia 1</b>                              | 825 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                     |
| <b>EC50 Other Aquatic Organisms 1</b>              | 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)                          |
| <b>LC 50 Fish 2</b>                                | 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])               |
| <b>EC50 Daphnia 2</b>                              | 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                             |
| <b>Ammonium sulfate (7783-20-2)</b>                |   |
| <b>LC50 Fish 1</b>                                 | 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])          |
| <b>EC50 Daphnia 1</b>                              | 14 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                      |
| <b>LC 50 Fish 2</b>                                | 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| <b>Sulfur (7704-34-9)</b>                          |   |
| <b>LC50 Fish 1</b>                                 | 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])                        |
| <b>LC 50 Fish 2</b>                                | 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                       |
| <b>Magnesium sulfate (7487-88-9)</b>               |   |
| <b>LC50 Fish 1</b>                                 | 2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])              |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                       |  |
|---------------------------------------|--|
| <b>EC50 Daphnia 1</b>                 | 266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         |
| <b>EC50 Other Aquatic Organisms 1</b> | 2700 mg/l (Exposure time: 72 h - Species: Desmodemus subspicatus)                  |
| <b>Ferrous sulfate (7720-78-7)</b>    |  |
| <b>LC50 Fish 1</b>                    | 925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])             |
| <b>EC50 Daphnia 1</b>                 | 152 mg/l (Exposure time: 48 h - Species: Daphnia magna)                            |
| <b>LC 50 Fish 2</b>                   | 0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])           |
| <b>EC50 Daphnia 2</b>                 | 6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])           |
| <b>Pendimethalin (40487-42-1)</b>     |  |
| <b>LC50 Fish 1</b>                    | 0.00019 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])   |
| <b>LC 50 Fish 2</b>                   | 0.14 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)                     |
| <b>1,2-Dichloroethane (107-06-2)</b>  |  |
| <b>LC50 Fish 1</b>                    | 110 - 123 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| <b>EC50 Daphnia 1</b>                 | 140 - 190 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])             |
| <b>EC50 Other Aquatic Organisms 1</b> | > 433 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)        |
| <b>LC 50 Fish 2</b>                   | 225 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])             |
| <b>EC50 Other Aquatic Organisms 2</b> | 166 mg/l (Exposure time: 96 h - Species: Desmodemus subspicatus [static])          |
| <b>Urea (57-13-6)</b>                 |  |
| <b>LC50 Fish 1</b>                    | 16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)            |
| <b>EC50 Daphnia 1</b>                 | 3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                  |

### 12.2. Persistence and Degradability

| LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin |   |
|--|---|
| <b>Persistence and Degradability</b>                     | May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. |

### 12.3. Bioaccumulative Potential

| LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin |                               |
|--|-------------------------------|
| <b>Bioaccumulative Potential</b>                         | Not established.              |
| <b>Diammonium phosphate (7783-28-0)</b>                  |                               |
| <b>BCF fish 1</b>  | (no bioaccumulation expected) |
| <b>Monoammonium phosphate (7722-76-1)</b>                |                               |
| <b>BCF fish 1</b>  | (no bioaccumulation expected) |
| <b>Ammonium sulfate (7783-20-2)</b>                      |                               |
| <b>Log Pow</b>   | -5.1 (at 25 °C)               |
| <b>Carbonic acid, calcium salt (1:1) (471-34-1)</b>      |                               |
| <b>BCF fish 1</b>  | (no bioaccumulation)          |
| <b>1,2-Dichloroethane (107-06-2)</b>                     |                               |
| <b>BCF fish 1</b>  | 2                             |
| <b>Log Pow</b>   | 1.45                          |
| <b>Urea (57-13-6)</b>                                    |                               |
| <b>BCF fish 1</b>  | < 10                          |
| <b>Log Pow</b>   | -1.59 (at 25 °C)              |

**12.4. Mobility in Soil** No additional information available

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.



# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

**Additional Information:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

### SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/IMDG/DOT

**14.1. UN Number** Not regulated for transport

**14.2. UN Proper Shipping Name** Not regulated for transport

**14.3. Additional Information**

**Other information** : No supplementary information available.

**Transport by Sea** Not regulated for transport

**Air Transport** Not regulated for transport

### SECTION 15: REGULATORY INFORMATION

#### 15.1 US Federal Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

| LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin                  |  |
|---|--|
| <b>SARA Section 311/312 Hazard Classes</b>                                | Immediate (acute) health hazard<br>Delayed (chronic) health hazard |
| <b>Sulfuric acid, dipotassium salt (7778-80-5)</b>                        |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Diammonium phosphate (7783-28-0)</b>                                   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Potassium chloride (7447-40-7)</b>                                     |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Monoammonium phosphate (7722-76-1)</b>                                 |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Ammonium sulfate (7783-20-2)</b>                                       |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Carbonic acid, calcium salt (1:1) (471-34-1)</b>                       |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Sulfur (7704-34-9)</b>   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Iron oxide (Fe2O3) (1309-37-1)</b>                                     |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Magnesium sulfate (7487-88-9)</b>                                      |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Ferrous sulfate (7720-78-7)</b>  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Manganese oxide (Mn3O4) (1317-35-7)</b>                                |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |
| <b>Pendimethalin (40487-42-1)</b>   |  |
| Listed on SARA Section 313 (Specific toxic chemical listings)             |  |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |  |
|--|--|
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 %  |
| <b>1,2-Dichloroethane (107-06-2)</b>   |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Listed on SARA Section 313 (Specific toxic chemical listings) |  |
| <b>EPA TSCA Regulatory Flag</b>  | T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. |
| <b>SARA Section 313 - Emission Reporting</b>   | 0.1 %  |
| <b>Urea (57-13-6)</b>  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory  |  |

## 15.2 US State Regulations

|   |  |
|---|--|
| <b>1,2-Dichloroethane (107-06-2)</b>  |  |
| <b>U.S. - California - Proposition 65 - Carcinogens List</b>  | WARNING: This product contains chemicals known to the State of California to cause cancer. |
| <b>Potassium chloride (7447-40-7)</b>   |  |
| U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term   |  |
| <b>Monoammonium phosphate (7722-76-1)</b>   |  |
| U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term   |  |
| <b>Ammonium sulfate (7783-20-2)</b>   |  |
| U.S. - California - SCAQMD - Toxic Air Contaminants With Proposed Risk Values<br>U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)<br>U.S. - Massachusetts - Right To Know List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List<br>U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour<br>U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual<br>U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term   |  |
| <b>Carbonic acid, calcium salt (1:1) (471-34-1)</b>   |  |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations<br>U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)<br>U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term   |  |
| <b>Sulfur (7704-34-9)</b>   |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - New Mexico - Air Quality - Ambient Air Quality Standards<br>U.S. - Pennsylvania - RTK (Right to Know) List<br>U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term   |  |
| <b>Iron oxide (Fe2O3) (1309-37-1)</b>   |  |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)<br>U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)<br>U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations<br>U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)<br>U.S. - Idaho - Occupational Exposure Limits - TWAs<br>U.S. - Massachusetts - Right To Know List<br>U.S. - Michigan - Occupational Exposure Limits - TWAs<br>U.S. - Minnesota - Hazardous Substance List<br>U.S. - Minnesota - Permissible Exposure Limits - TWAs<br>U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour<br>U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual<br>U.S. - New Jersey - Right to Know Hazardous Substance List |  |

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New York - Occupational Exposure Limits - TWAs  
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour  
U.S. - Oregon - Permissible Exposure Limits - TWAs  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Tennessee - Occupational Exposure Limits - TWAs  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Vermont - Permissible Exposure Limits - TWAs  
U.S. - Washington - Permissible Exposure Limits - STELs  
U.S. - Washington - Permissible Exposure Limits - TWAs  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater  
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

### **Magnesium sulfate (7487-88-9)**

U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

### **Ferrous sulfate (7720-78-7)**

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities  
U.S. - Louisiana - Reportable Quantity List for Pollutants  
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Right To Know List  
U.S. - Massachusetts - Toxics Use Reduction Act  
U.S. - Michigan - Polluting Materials List  
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

### **Manganese oxide (Mn3O4) (1317-35-7)**

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)  
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)  
U.S. - Massachusetts - Right To Know List  
U.S. - Michigan - Occupational Exposure Limits - TWAs  
U.S. - Minnesota - Hazardous Substance List  
U.S. - Minnesota - Permissible Exposure Limits - TWAs  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - North Carolina - Control of Toxic Air Pollutants  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Tennessee - Occupational Exposure Limits - TWAs  
U.S. - Vermont - Permissible Exposure Limits - TWAs  
U.S. - Washington - Permissible Exposure Limits - STELs  
U.S. - Washington - Permissible Exposure Limits - TWAs

### **Pendimethalin (40487-42-1)**

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities  
U.S. - Massachusetts - Toxics Use Reduction Act  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins  
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances  
U.S. - New Jersey - Environmental Hazardous Substances List

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New York - Priority Chemical Avoidance List  
U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

### 1,2-Dichloroethane (107-06-2)

U.S. - California - Priority Toxic Pollutants - Human Health Criteria  
U.S. - California - SCAQMD - Toxic Air Contaminants - Carcinogens  
U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic  
U.S. - California - SDAPCD - Toxic Air Contaminants - Carcinogenic Impacts Must Be Calculated  
U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)  
U.S. - Colorado - Groundwater Quality Standards  
U.S. - Colorado - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues  
U.S. - Colorado - Hazardous Wastes - Maximum Concentration for the Toxicity Characteristics  
U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Level Goals (MCLGs)  
U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Levels (MCLs)  
U.S. - Connecticut - Drinking Water Quality Standards - Maximum Contaminant Levels  
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)  
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)  
U.S. - Connecticut - Water Quality Standards - Consumption of Organisms Only  
U.S. - Connecticut - Water Quality Standards - Consumption of Water and Organisms  
U.S. - Connecticut - Water Quality Standards - Health Designations  
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities  
U.S. - Florida - Drinking Water Standards - Volatile Organic Contaminants - Maximum Contaminant Levels (MCLs)  
U.S. - Georgia - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Idaho - Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - Idaho - Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)  
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations  
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)  
U.S. - Idaho - Occupational Exposure Limits - Acceptable Maximum Peak Above the Ceiling Concentration for an 8-Hour Shift  
U.S. - Idaho - Occupational Exposure Limits - Ceilings  
U.S. - Idaho - Occupational Exposure Limits - TWAs  
U.S. - Illinois - Toxic Air Contaminant Carcinogens  
U.S. - Illinois - Toxic Air Contaminants  
U.S. - Louisiana - Reportable Quantity List for Pollutants  
U.S. - Maine - Air Pollutants - Hazardous Air Pollutants  
U.S. - Maine - Chemicals of High Concern  
U.S. - Maryland - Surface Water Quality Standards - Consumption of Organisms Only  
U.S. - Maryland - Surface Water Quality Standards - Consumption of Water and Organisms  
U.S. - Massachusetts - Allowable Ambient Limits (AALs)  
U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs)  
U.S. - Massachusetts - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1  
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2  
U.S. - Massachusetts - Right To Know List  
U.S. - Massachusetts - Threshold Effects Exposure Limits (TEELs)  
U.S. - Massachusetts - Toxics Use Reduction Act  
U.S. - Michigan - Occupational Exposure Limits - STELs  
U.S. - Michigan - Occupational Exposure Limits - TWAs  
U.S. - Michigan - Polluting Materials List  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Hazardous Substance List  
U.S. - Minnesota - Permissible Exposure Limits - STELs  
U.S. - Minnesota - Permissible Exposure Limits - TWAs

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Missouri - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Nebraska - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Nebraska - Maximum Concentration of Contaminants for the Toxicity Characteristic  
U.S. - New Hampshire - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - New Hampshire - Prohibited Volatile Organic Compounds  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual  
U.S. - New Jersey - Control and Prohibition of Air Pollution by Toxic Substances  
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances  
U.S. - New Jersey - Environmental Hazardous Substances List  
U.S. - New Jersey - Primary Drinking Water Standards - Maximum Contaminant Levels - MCLs  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New Jersey - Special Health Hazards Substances List  
U.S. - New Jersey - Water Quality - Ground Water Quality Criteria  
U.S. - New Jersey - Water Quality - Practical Quantitation Levels (PQLs)  
U.S. - New Mexico - Water Quality - Standards for Ground Water of 10,000 mg/L TDS Concentration or Less  
U.S. - New York - Occupational Exposure Limits - TWAs  
U.S. - New York - Priority Chemical Avoidance List  
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances  
U.S. - North Carolina - Control of Toxic Air Pollutants  
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour  
U.S. - North Dakota - Air Pollutants - Unit Risk Factors  
U.S. - North Dakota - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues  
U.S. - North Dakota - Hazardous Wastes - Maximum Concentration for the Toxicity Characteristic  
U.S. - North Dakota - Water Quality Standards - Human Health Value for Class III  
U.S. - North Dakota - Water Quality Standards - Human Health Value for Classes I, IA, II  
U.S. - Oregon - Permissible Exposure Limits - Ceilings  
U.S. - Oregon - Permissible Exposure Limits - STELs  
U.S. - Oregon - Permissible Exposure Limits - TWAs  
U.S. - Pennsylvania - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances  
U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual  
U.S. - Rhode Island - Water Quality Standards - Acute Freshwater Aquatic Life Criteria  
U.S. - Rhode Island - Water Quality Standards - Carcinogens  
U.S. - Rhode Island - Water Quality Standards - Chronic Freshwater Aquatic Life Criteria  
U.S. - Rhode Island - Water Quality Standards - Human Health Criteria for Consumption of Aquatic Organisms Only  
U.S. - Rhode Island - Water Quality Standards - Human Health Criteria for Consumption of Water and Aquatic Organisms  
U.S. - South Carolina - Maximum Contaminant Levels (MCLs)  
U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations  
U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories  
U.S. - Tennessee - Occupational Exposure Limits - STELs  
U.S. - Tennessee - Occupational Exposure Limits - TWAs  
U.S. - Texas - Drinking Water Standards - Maximum Contaminant Levels (MCLs)  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Utah - Drinking Water - Maximum Contaminant Levels (MCLs)  
U.S. - Vermont - Hazardous Waste - Hazardous Constituents  
U.S. - Vermont - Hazardous Waste - Maximum Contaminant Concentration for Toxicity  
U.S. - Vermont - Permissible Exposure Limits - STELs  
U.S. - Vermont - Permissible Exposure Limits - TWAs  
U.S. - Virginia - Water Quality Standards - Known or Suspected Carcinogens  
U.S. - Virginia - Water Quality Standards - Public Water Supply Effluent Limits  
U.S. - Virginia - Water Quality Standards - Surface Waters Not Used for the Public Water Supply Effluent Limits  
U.S. - Washington - Dangerous Waste - Dangerous Waste Constituents List  
U.S. - Washington - Dangerous Waste - Discarded Chemical Products List

# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Washington - Permissible Exposure Limits - STELs  
 U.S. - Washington - Permissible Exposure Limits - TWAs  
 U.S. - West Virginia - Air Quality - Toxic Air Pollutant Emission Limits  
 U.S. - West Virginia - Water Quality - Groundwater Standards - Ceiling Concentrations  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater  
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

### Urea (57-13-6)

U.S. - Minnesota - Hazardous Substance List  
 U.S. - Texas - Effects Screening Levels - Long Term  
 U.S. - Texas - Effects Screening Levels - Short Term

## SECTION 16: OTHER INFORMATION

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3                                 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Acute 3     | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 2   | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Carc. 1B            | Carcinogenicity Category 1B                                      |
| Comb. Dust          | Combustible Dust   |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A                    |
| Eye Irrit. 2B       | Serious eye damage/eye irritation Category 2B                    |
| Flam. Liq. 2        | Flammable liquids Category 2                                     |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2                             |
| Skin Sens. 1        | Skin sensitization Category 1                                    |
| STOT SE 3           | Specific target organ toxicity (single exposure) Category 3      |
| H225                | Highly flammable liquid and vapor                                |
| H232                | May form combustible dust concentrations in air                  |
| H301                | Toxic if swallowed   |
| H302                | Harmful if swallowed   |
| H315                | Causes skin irritation   |
| H317                | May cause an allergic skin reaction                              |
| H319                | Causes serious eye irritation                                    |
| H320                | Causes eye irritation  |
| H335                | May cause respiratory irritation                                 |
| H350                | May cause cancer   |
| H400                | Very toxic to aquatic life                                       |
| H402                | Harmful to aquatic life  |
| H411                | Toxic to aquatic life with long lasting effects                  |
| H412                | Harmful to aquatic life with long lasting effects                |

**NFPA Health Hazard** : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

**NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



# LESCO PRE-M Plus Fertilizer (0.75% - 1.5%) Pendimethalin

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### HMIS III Rating

|                     |   |
|---------------------|---|
| <b>Health</b>       | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| <b>Flammability</b> | : 1 Slight Hazard   |
| <b>Physical</b>     | : 0 Minimal Hazard  |

*IMPORTANT: The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product. LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and LESCO's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).*

SDS US (GHS HazCom) - US Only