

Revision Date: 05/21/2019

Print Date: 05/22/2019

TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TRIBUTE® TOTAL

Product code (UVP) 80192401

SDS Number 102000025052

EPA Registration No. 432-1519

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Reproductive toxicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements

May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection.



TRIBUTE® TOTAL

 Version 3.0 / USA
 Revision Date: 05/21/2019

 102000025052
 Print Date: 05/22/2019

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Halosulfuron-Methyl	100784-20-1	30.8
Foramsulfuron	173159-57-4	19.8
Thiencarbazone-methyl	317815-83-1	9.9
Sulfonated aromatic polymer, sodium salt	68425-94-5	9.0
Aromatic hydrocarbons, C10-13, reaction products with	1258274-08-6	3.6
branched nonene, sulfonated, sodium salts		
Disodium maleate	371-47-1	0.18
Crystalline quartz (respirable)	14808-60-7	0.18

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperature187 °C / 368.6 °FLower explosion limitNot applicableUpper explosion limitNot applicable

Explosivity No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upSweep up or vacuum up spillage and collect in suitable container for

disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

dust formation.

Advice on protection against fire and explosion

Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of

ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area. Protect from frost. Keep away from

direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
Foramsulfuron	173159-57-4	10 mg/m3 (TWA)		OES BCS*
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (TWA)	02 2012	ACGIH
(Respirable fraction.)	14808-60-7	0.05 mg/m2	2016	NIOSH
Crystalline quartz (respirable)	14000-00-7	0.05 mg/m3 (REL)	2016	NIOSH
(Respirable dust.)				
Crystalline quartz	14808-60-7	0.025 mg/m3	03 2016	OSHA



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

(respirable)		(OSHA_ACT)		
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA)	03 2016	OSHA
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m3 (PEL)	03 2016	OSHA Z1
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	06 2008	TN OEL
(Respirable dust.) Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m3 (TWA PEL)	10 2016	US CA OEL
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3
Crystalline quartz (respirable) (Respirable.)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

Physical State water-dispersible granules

Odor characteristic

Odour Threshold No data available

pH 4.5 - 5.5 (10 %) (23 °C) (deionized water)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Bulk density 0.559 - 0.656 g/ml (loose)

Evaporation rate

Boiling Point

Melting / Freezing Point

Water solubility

Not applicable

Not applicable

dispersible

Minimum Ignition Energy No data available

Decomposition 150 °C , Hea

temperature

150 $^{\circ}\text{C}$, Heating rate: 3 K/min , Decomposition energy: 320 kJ/kg

105 °C, Heating rate: 0.05 K/min

Partition coefficient: n-

octanol/water

No data available

Viscosity

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

Not applicable

Not applicable

Not applicable

Other information The product is capable of dust explosions.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition 150 °C, Heating rate: 3 K/min, Decomposition energy: 320 kJ/kg

105 °C, Heating rate: 0.05 K/min

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

Extremes of temperature and direct sunlight. Conditions to avoid

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin contact

Immediate Effects

May cause eye irritation. Eye Skin May cause skin irritation. Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 3,129 mg/kg Acute inhalation toxicity LC50 (Rat) > 2.02 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit) Serious eve damage/eve

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation

Assessment STOT Specific target organ toxicity - repeated exposure

Halosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies. Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Halosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Halosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

Foramsulfuron was not carcinogenic in lifetime feeding studies in rats and mice.



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

ACGIH

Crystalline quartz (respirable) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable) 14808-60-7

IARC

Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1

OSHA None.

Assessment toxicity to reproduction

Halosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Halosulfuron-methyl caused developmental toxicity only at dose levels toxic to the dams. Halosulfuron-methyl caused an increased incidence of non-specific malformations.

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

Foramsulfuron did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient foramsulfuron.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 131 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient halosulfuron-

methyl.

Toxicity to aquatic invertebrates

LC50 (Daphnia (water flea)) > 100 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient foramsulfuron.

EC50 (Daphnia magna (Water flea)) > 98.6 mg/l

Exposure time: 48 h



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

The value mentioned relates to the active ingredient thiencarbazonemethyl.

EC50 (Daphnia magna (Water flea)) > 107 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient halosulfuron-

methyl.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 75 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient foramsulfuron.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

EC50 (Lemna gibba (gibbous duckweed)) 0.000217 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient halosulfuron-

methyl.

Biodegradability Halosulfuron-methyl:

Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable

Foramsulfuron:

Not rapidly biodegradable

Koc Halosulfuron-methyl: Koc: 113

Thiencarbazone-methyl: Koc: 100 Foramsulfuron: Koc: 38 - 151

Bioaccumulation Halosulfuron-methyl:

Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate.

Foramsulfuron:

Does not bioaccumulate.

Mobility in soil Halosulfuron-methyl: Moderately mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

Foramsulfuron: Mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

10/12Revision Date: 05/21/2019
Print Date: 05/22/2019

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Never place unused product down any indoor or outdoor drain.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(THIENCARBAZONE-METHYL, HALOSULFURON-METHYL

MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(THIENCARBAZONE-METHYL, HALOSULFURON-METHYL

MIXTURE)



TRIBUTE® TOTAL

Version 3.0 / USA 102000025052

Revision Date: 05/21/2019 Print Date: 05/22/2019

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1519

US Federal Regulations

TSCA list

Kaolin 1332-58-7 Sulfonated aromatic polymer, sodium salt 68425-94-5 Polyvinylpyrrolidone 9003-39-8

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) Not applicable.

SARA Title III - Section 302 - Notification and Information

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Kaolin	1332-58-7	MN, RI
Polyvinylpyrrolidone	9003-39-8	CA
Sodium dodecylbenzenesulfonate	25155-30-0	CA, CT, IL, NJ
Crystalline quartz (respirable)	14808-60-7	MN, RI
Acetone	67-64-1	CA, CT, IL, MN, NJ, RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



TRIBUTE® TOTAL

Version 3.0 / USA Revision Date: 05/21/2019 102000025052 Print Date: 05/22/2019

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 2: Hazards Identification. Section 8: Exposure Controls / Personal Protection. Reviewed and updated for general editorial purposes.

Revision Date: 05/21/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.