

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** Fathom 14.3 MEC Fungicide  
**EPA Reg. No.:** 72112-3  
**Synonyms:** Propiconazole: 1-[[2,(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole  
**Product Type:** Fungicide  
**Company Name:** Prokoz, Inc.  
 1720 Windward Concourse, Suite 150  
 Alpharetta, GA 30005  
**Telephone Numbers:** **For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300**  
**For Medical Emergencies Only, Call 1-877-325-1840**  
**Date of Issue:** April 30, 2012 **Supersedes:** April 21, 2010  
**Sections Revised:** 3, 8, 9, 13

**2. HAZARDS IDENTIFICATION**

**Emergency Overview:**  
**Appearance and Odor:** Amber colored liquid.  
**Warning Statements:** Warning. Keep out of reach of children. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through skin.. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield.  
**Potential Health Effects:**  
**Likely Routes of Exposure:** Inhalation, eye and skin contact.  
**Eye Contact:** Causes substantial but temporary eye injury. Vapors and mist may cause pain, redness and tearing.  
**Skin Contact:** Minimally toxic and slightly irritating based on toxicity studies.  
**Ingestion:** Slightly toxic based on toxicity studies.  
**Inhalation:** Low inhalation toxicity based on toxicity studies.  
**Medical Conditions Aggravated by Exposure:** Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information.

**Potential Environmental Effects:**  
 This pesticide is toxic to fish.

See Section 12: ECOLOGICAL INFORMATION for more information.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

COMPONENT	CAS NO.	% BY WEIGHT
Propiconazole	60207-90-1	14.3
Other Ingredients:		85.7



**4. FIRST AID MEASURES**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Note to Physician:** If ingested, induce emesis or lavage stomach. Treat symptomatically.

**5. FIRE FIGHTING MEASURES**

**Flash Point:** >221°F (>105°C) Pensky-Martens

**Autoignition Temperature:** Not determined

**Flammability Limits:** Not determined

**Extinguishing Media:** Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion Hazards:** Containers will burst from internal pressure under extreme fire conditions. If water is used to fight fire or cool containers, dike to prevent runoff contamination of municipal sewers and waterways.

**Hazardous Decomposition Materials (Under Fire Conditions):** May produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

**National Fire Protection Association (NFPA) Hazard Rating:**

**Rating for this product: Health: 2    Flammability: 1    Reactivity: 0**

Hazards Scale: 0 = Minimal    1 = Slight    2 = Moderate    3 = Serious    4 = Severe

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Environmental Precautions:** Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

**Methods for Containment:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Methods for Cleanup and Disposal:** Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

**Other Information:** Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

**7. HANDLING AND STORAGE**

**Handling:**

Do not get in eyes or on clothing. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Storage:**

Store in original container in a cool area out of the reach of children. Do not contaminate water, food, or feed by storage or disposal.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

**Personal Protective Equipment:**

**Eye/Face Protection:** To avoid contact with eyes, wear face shield or goggles. An emergency eyewash or water supply should be readily accessible to the work area.

**Skin Protection:** To avoid contact with skin wear long-sleeved shirt, long pants, shoes plus socks and chemical-resistant gloves. An emergency shower or water supply should be readily accessible to the work area.

**Respiratory Protection:** Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

**General Hygiene Considerations:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

**Exposure Guidelines:**

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Propiconazole	NE	NE	NE	NE	

NE = Not Established

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance and Odor:** Amber colored liquid.

**Boiling Point:** Not determined

**Density:** 9.1 pounds/gallon

**Evaporation Rate:** Not determined

**Freezing Point:** Not determined

**pH:** 5.5 – 6 (1% solution)

**Solubility in Water:** Soluble

**Specific Gravity:** 1.086 @ 20°C

**Vapor Density:** Not determined

**Vapor Pressure:** Not determined

**Viscosity:** 46.233 cSt @ 20°C

**Note:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

<b>10. STABILITY AND REACTIVITY</b>
-------------------------------------

**Chemical Stability:** This material is stable under normal handling and storage conditions.

**Conditions to Avoid:** Excessive heat. Do not store near heat or flame.

**Incompatible Materials:** Strong oxidizing agents: bases and acids.

**Hazardous Decomposition Products:** Under fire conditions may produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

**Hazardous Reactions:** Hazardous polymerization will not occur.

<b>11. TOXICOLOGICAL INFORMATION</b>
--------------------------------------

**Toxicological Data:**

Data from laboratory studies on this product are summarized below:

**Oral:** Rat LD<sub>50</sub>: 3,129 mg/kg (female) (estimated based on mortalities for doses tested)

**Dermal:** Rat LD<sub>50</sub>: >5,000 mg/kg

**Inhalation:** Rat 4-hr LC<sub>50</sub>: >2.02 mg/L

**Eye Irritation:** Rabbit: Moderately irritating

**Skin Irritation:** Rabbit: Slightly irritating

**Skin Sensitization:** Not a contact sensitizer in guinea pigs following repeated skin exposure.

**Subchronic (Target Organ) Effects:** Repeated overexposure to propiconazole may cause effects to liver..

**Carcinogenicity / Chronic Health Effects:** Propiconazole has been shown to cause an increased incidence of benign liver tumors in male mice at extremely high doses. No treatment-related tumors were seen in female mice in the same study or in a separate rat study. **Reproductive Toxicity:** Propiconazole did not demonstrate reproductive effects in animal studies. **Developmental Toxicity:** Animal tests with propiconazole have not demonstrated developmental effects.

**Genotoxicity:** Studies indicate that propiconazole did not produce genetic damage in mammalian or bacterial cell cultures or in animal studies.

**Assessment Carcinogenicity:** None listed with ACGIH, IARC, NTP or OSHA.

See Section 2: HAZARDS IDENTIFICATION for more information.

<b>12. ECOLOGICAL INFORMATION</b>
-----------------------------------

**Ecotoxicity:**

Data on Propiconazole Technical:

96-hour LC <sub>50</sub> Bluegill:	1.3 ppm	Bobwhite Quail Oral LD <sub>50</sub> :	2,825 mg/kg
96-hour LC <sub>50</sub> Rainbow Trout:	0.85 ppm	Bobwhite Quail 8-day Dietary LC <sub>50</sub> :	>5,620 ppm
48-hour LC <sub>50</sub> Daphnia magna:	4.8 ppm	Mallard Duck Oral LD <sub>50</sub> :	2,510 mg/kg
96-hour LC <sub>50</sub> Mysid:	0.51 ppm	Mallard Duck 8-day Dietary LC <sub>50</sub> :	>5,620 ppm
48-hour Honey Bee LD <sub>50</sub> :	>25 µg/bee		

**Environmental Fate:**

Propiconazole is persistent and relatively immobile in most soil and aqueous environments. Propiconazole degradation in the aquatic environment appears to be dependent solely on aqueous photolysis. In the soil, propiconazole dissipation appears to be dependent on binding to soil organic matter content. The average half-life in soils ranges from months to a year.

**13. DISPOSAL CONSIDERATIONS****Waste Disposal Method:**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling and Disposal:**

**Nonrefillable Containers 5 Gallons or Less:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local ordinance, by burning. If burned stay out of smoke.

**Nonrefillable containers larger than 5 gallons:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration. Do not burn unless allowed by state and local ordinance. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times

**Refillable For return to Nufarm:** Refillable Container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Close all openings and replace all caps. Contact Nufarm's Customer Service Department at 1-800-345-3330 to arrange for return of the empty refillable container.

**14. TRANSPORTATION INFORMATION**

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

**DOT**

**< 119 gallons per completed package**

Non Regulated

**≥ 119 gallons per completed package**

UN 3082, Environmentally hazardous substances, liquid, n.o.s., (Propiconazole), 9, III, Marine Pollutant

**IMDG**

UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Propiconazole), 9, III, Marine Pollutant

**IATA**

Non Regulated

**15. REGULATORY INFORMATION****U.S. Federal Regulations:****TSCA Inventory:** This product is exempted from TSCA because it is solely for FIFRA regulated use.**SARA Hazard Notification/Reporting:****Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):**

Immediate and Delayed

**Section 313 Toxic Chemical(s):**

Propiconazole (CAS No. 60207-90-1) 14.3% by weight in product

**Reportable Quantity (RQ) under U.S. CERCLA:**

None

**RCRA Waste Code:**

None

**State Information:**

Other state regulations may apply. Check individual state requirements.

**California Proposition 65:** Not Listed**16. OTHER INFORMATION**

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.