

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version      Revision Date:      MSDS Number:      Country: US  
1.21          10/08/2015          400000003977      Language: EN

---

### SECTION 1. IDENTIFICATION

Product name                      : FLORAMITE® SC/LS

Product code                      : 400000003977

#### Manufacturer or supplier's details

Company:                              MacDermid Agricultural Solutions, Inc  
245 Freight St  
Waterbury, CT  
United States of America  
06702  
Telephone : +1 800 423 8569

Prepared by                              sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number:      Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300  
For additional emergency telephone numbers see section 16 of the  
Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use                      : Plant protection agent  
Miticide

Restrictions on use                      : Agriculture, For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin sensitisation                      : Category 1

Acute aquatic toxicity                      : Category 2


Chronic aquatic toxicity                      : Category 2

#### GHS Label element

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**  
None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Miticide

#### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Bifenazate	149877-41-8	>= 20 - < 30

### SECTION 4. FIRST AID MEASURES

If inhaled : Call a POISON CENTER or doctor/ physician.

In case of skin contact : Remove contaminated clothing and shoes.  
Call a POISON CENTER or doctor/ physician.

In case of eye contact : Call a POISON CENTER or doctor/ physician.

If swallowed : Call a physician or poison control centre immediately.

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed : irritant effects  
sensitising effects  
Symptoms may be delayed.  
May cause an allergic skin reaction.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam  
(on small fires)  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Water spray jet

Specific hazards during fire-fighting : No information available.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Complete suit protecting against chemicals  
Full protective flameproof clothing

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.  
Avoid contact with skin and eyes.

Environmental precautions : Do not allow material to contaminate ground water system.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.  
Dam up.  
Large spills should be collected mechanically (remove by pumping) for disposal.

In accordance with local and national regulations.

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.  
Use only in area provided with appropriate exhaust ventilation.  
Wash thoroughly after handling.

Conditions for safe storage : Keep in a dry, cool place.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : effective ventilation in all processing areas  
Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Impervious clothing

Hygiene measures : Ensure adequate ventilation, especially in confined areas.  
Remove and wash contaminated clothing before re-use.  
Handle in accordance with good industrial hygiene and safety practice.  
Wash hands before breaks and immediately after handling the product.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : off-white, to, tan

Odour : slight, sweet

Odour Threshold : No data available

pH : 5 - 9

Melting point/range : Not applicable

---

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Boiling point/boiling range : > 100 °C

Flash point : does not flash

Evaporation rate : No data available

Upper explosion limit : Not explosive

Lower explosion limit : Not explosive

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.050 - 1.070 (25 °C)

Density : > 1 g/cm<sup>3</sup>

Solubility(ies)

    Water solubility : dispersible

    Solubility in other solvents : Description: miscible with most organic solvents

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : > 399 °C

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : 300 - 700 mPa.s (20 °C)

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

Surface tension : 42.1 mN/m, 25 °C

Oxidizing potential : The substance or mixture is not classified as oxidizing.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Conditions to avoid : Extremes of temperature and direct sunlight.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : Burning produces noxious and toxic fumes.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg  
GLP: yes  
  
LD50 (Rat, female): > 2,000 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 1.94 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg  
GLP: yes

##### Components:

##### Bifenazate:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
  
LD50 (Mouse, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version      Revision Date:      MSDS Number:      Country: US  
1.21      10/08/2015      400000003977      Language: EN

---

Method: OECD Test Guideline 402  
GLP: yes

### **Skin corrosion/irritation**

#### **Product:**

Species: Rabbit  
Result: No skin irritation  
GLP: yes

#### **Components:**

##### **Bifenazate:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

### **Serious eye damage/eye irritation**

#### **Product:**

Species: Rabbit  
Result: No eye irritation  
GLP: yes

#### **Components:**

##### **Bifenazate:**

Species: Rabbit  
Result: No eye irritation  
Exposure time: 48 h  
Method: OECD Test Guideline 405  
GLP: yes

### **Respiratory or skin sensitisation**

#### **Product:**

Species: Guinea pig  
Assessment: May cause sensitisation by skin contact.  
GLP: yes

#### **Components:**

##### **Bifenazate:**

Test Type: Maximisation Test (GPMT)  
Species: Guinea pig  
Assessment: May cause sensitisation by skin contact.  
Method: OECD Test Guideline 406  
GLP: yes

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

### Germ cell mutagenicity

#### Components:

##### **Bifenazate:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

: Test Type: In Vitro mammalian Cell Gene Mutation Test  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

##### **Bifenazate:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Components:

##### **Bifenazate:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation



# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

### STOT - single exposure

**Product:**

Assessment: Based on available data, the classification criteria are not met.

**Components:**

**Bifenazate:**

Assessment: Based on available data, the classification criteria are not met.

### STOT - repeated exposure

**Product:**

Assessment: Based on available data, the classification criteria are not met.

**Components:**

**Bifenazate:**

Assessment: Based on available data, the classification criteria are not met.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.4 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.3 mg/l  
Exposure time: 72 h

**Components:**

**Bifenazate:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.58 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.5 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
GLP: yes

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

LC50 (*Crassostrea virginica*): 0.42 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes

Toxicity to algae : IC50 (*Lemna gibba* (gibbous duckweed)): > 3.82 mg/l  
Exposure time: 7 d  
Analytical monitoring: yes  
GLP: yes

NOEC (*Lemna gibba* (gibbous duckweed)): > 3.82 mg/l  
Exposure time: 7 d  
Analytical monitoring: yes  
GLP: yes

NOEC (*Selenastrum capricornutum* (green algae)): 0.25 mg/l  
Exposure time: 96 h  
GLP: yes

ErC50 (*Selenastrum capricornutum* (green algae)): > 2.02 mg/l  
Exposure time: 96 h  
GLP: yes

EbC50 (*Selenastrum capricornutum* (green algae)): 0.9 mg/l  
Exposure time: 96 h  
GLP: yes

NOEC (*Navicula pelliculosa*): 0.52 mg/l  
Exposure time: 96 h  
GLP: yes

EbC50 (*Navicula pelliculosa*): 0.82 mg/l  
Exposure time: 96 h  
GLP: yes

ErC50 (*Navicula pelliculosa*): 1.4 mg/l  
Exposure time: 96 h  
GLP: yes

NOEC(b) (*Anabaena flos-aquae* (cyanobacterium)): 0.53 mg/l  
Exposure time: 96 h  
GLP: yes

NOEC(r) (*Anabaena flos-aquae* (cyanobacterium)): 1.13 mg/l  
Exposure time: 96 h  
GLP: yes

EbC50 (*Anabaena flos-aquae* (cyanobacterium)): 1.8 mg/l  
Exposure time: 96 h  
GLP: yes

ErC50 (*Anabaena flos-aquae* (cyanobacterium)): > 4.48 mg/l

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Exposure time: 96 h  
GLP: yes

NOEC (Skeletonema costatum (marine diatom)): 0.2 mg/l  
Exposure time: 96 h  
GLP: yes

EbC50 (Skeletonema costatum (marine diatom)): 0.3 mg/l  
Exposure time: 96 h  
GLP: yes

ErC50 (Skeletonema costatum (marine diatom)): 0.36 mg/l  
Exposure time: 96 h  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.017 mg/l  
Exposure time: 87 d  
Test Type: flow-through test  
Analytical monitoring: yes  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.15 mg/l  
Exposure time: 21 d  
Analytical monitoring: yes  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg  
Exposure time: 14 d  
GLP: yes

NOEC (Eisenia fetida (earthworms)): 95 mg/kg  
Exposure time: 14 d  
GLP: yes

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 8.50 µg/bee  
Exposure time: 48 h  
End point: mortality  
GLP: yes

### Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Not readily biodegradable.

#### Components:

##### **Bifenazate:**

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Biodegradability : Result: According to the results of tests of biodegradability this product is not readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **Bifenazate:**

Partition coefficient: n-octanol/water : log Pow: 3.4 (25 °C)

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### **UNRTDG**

UN number : UN 3082

---

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

---

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Bifenazate)

Class : 9  
Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Bifenazate)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Bifenazate)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,  
N.O.S.  
(Bifenazate)

Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Bifenazate)

Remarks : RQ applies  
Not regulated by DOT and TDG if shipped or transported in packaging less than 450 liters by road and/or rail. Please refer to 49 CFR for any details.

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
butanone	78-93-3	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylene oxide	75-21-8	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SSARA 311/312 Hazards** : Chronic Health Hazard

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium hydroxide	1310-73-2	0.013 %
methyloxirane	75-56-9	0 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

sodium hydroxide	1310-73-2	0.013 %
methyloxirane	75-56-9	0 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

1,4-dioxane	123-91-1
ethylene oxide	75-21-8
methyloxirane	75-56-9

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

ethylene oxide	75-21-8
----------------	---------

#### TSCA list

# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version      Revision Date:      MSDS Number:      Country: US  
1.21          10/08/2015          400000003977      Language: EN

---

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

#### CAUTION

Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

This pesticide is toxic to birds, estuarine/marine invertebrates, and fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

Do not use or store near heat or open flame.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ErC<sub>x</sub> - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;

# SAFETY DATA SHEET


## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
Language: EN

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

### Further information

#### NFPA:



#### HMIS III:

HEALTH	1*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/08/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074



# SAFETY DATA SHEET

## FLORAMITE® SC/LS

Version 1.21      Revision Date: 10/08/2015      MSDS Number: 400000003977      Country: US  
 Language: EN

	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 113 711 9144
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670