Safety Data Sheet



Issue Date: 05-Aug-2009

Revision Date: 16-Nov-2015

Version 2

1. IDENTIFICATION

Product Identifier Product Name

Quali-Pro Myclobutanil 20 EW T&O

Other means of identification	
SDS #	ADAMA-153
Registration Number(s) UN/ID No	Reg. No. 66222-185 NA1993

Recommended use of the chemical and restrictions on useRecommended UseEPA registered pesticide.

Details of the supplier of the safety data sheet Manufacturer Address Makhteshim Agan of North America, Inc. (d/b/a ADAMA) 3120 Highwoods Blvd., Suite 100 Raleigh, NC 27604 1-919-256-9300

Emergency Telephone Number

Emergency Telephone (24 hr)

For fire, spill and/or leak contact INFOTRAC: 1-800-535-5053 (North America) 1-352-323-3500 (International) For medical emergencies and health/safety inquiries, contact PROSAR: 1-877-250-9291

2. HAZARDS IDENTIFICATION

This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance Off-white liquid

Physical State Liquid

Odor Fuel oil-like

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

<u>Signal Word</u> Danger

Hazard Statements

Harmful if inhaled Causes serious eye irritation May cause cancer Suspected of damaging fertility or the unborn child May be fatal if swallowed and enters airways Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Myclobutanil [.alphaButylalpha(4-chlorophenyl)- 1H-1,2,4-triazole-1-propanetrile]	88671-89-0	15-20
Proprietary Solvent 1	Proprietary	<20
Proprietary Solvent 2	Proprietary	<3

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES		
First Aid Measures		
General Advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Take off contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen if breathing is difficult. If breathing has stopped, call 911, give artificial respiration. Seek medical attention for further treatment.	
Ingestion	Do not induce vomiting, unless directed by medical personnel. Get immediate medical attention. If conscious, give 1 glass of water to dilute. Never give anything by mouth to an unconscious person.	
Most important symptoms and	effects	
Symptoms	Causes serious eye irritation. Harmful if inhaled. May be harmful if swallowed. May be fatal if swallowed and enters airways.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician Treat symptomatically. Take care to avoid aspiration of stomach contents into lungs.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Containers may explode when heated.

Hazardous Combustion Products During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Hydrogen chloride. Hydrogen cyanide. Oxides of nitrogen. Carbon monoxide.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Remove all sources of ignition.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of spill; use dry sand to contain the flow of material.
Methods for Clean-Up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Transfer contaminated absorbent, soil, and other materials to containers for disposal. Wash spill area with a strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer. Place rinsate into chemical waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Open and handle container with care. Do not contaminate water, food or feed by storage, disposal or by cleaning equipment. Avoid breathing vapors or mists. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges.
-------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep out of the reach of children. Store at ambient conditions. Keep/store only in original container. Do not use food or drink containers for mixing or storage. Protect from excessive heat. Do not store below 35°F. Do not store above 120 °F.
Packaging Materials	Do not reuse container.
Incompatible Materials	Acidic materials. Oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Proprietary Solvent 2	TWA: 10 ppm	TWA: 10 ppm	IDLH: 250 ppm
	S*	TWA: 50 mg/m ³	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 50 mg/m ³
		(vacated) TWA: 50 mg/m ³	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m ³
		(vacated) STEL: 75 mg/m ³	-

Appropriate engineering controls

Engineering Controls	Please refer to the product label. Use only with adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits		
Individual protection measures, such as personal protective equipment			
Eye/Face Protection	Use splash goggles or face shield when contact may occur.		
Skin and Body Protection	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Viton or other impervious gloves are required. Long sleeve shirt, trousers, and safety shoes.		

Respiratory Protection	Ensure adequate ventilation, especially in confined areas. Wear an appropriate	
	NIOSH/MSHA approved respirator if ventilation is inadequate.	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Off-white liquid Off-white	Odor Odor Threshold	Fuel oil-like Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range	<u>Values</u> 5.5-6.5 Not determined Not determined	Remarks • Method	
Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure	60 °C / 140 °F Not determined Liquid-not applicable Not determined Not determined 1.3 x 10 -3 Pa @ 25°C (technical)	TCC	
Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties Density	Not determined Not determined Emulsifies Not determined Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions. However, may decompose if heated.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

See Sec. 7 Handling & Storage.

Incompatible Materials

Acidic materials. Oxidizing materials.

Hazardous Decomposition Products

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Hydrogen chloride. Hydrogen cyanide. Oxides of nitrogen. Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Avoid contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Myclobutanil [.alphaButylalpha	= 1600 mg/kg (Rat)	= 7500 mg/kg (Rabbit)	-
(4-chlorophenyl)-1H-1,2,4-triazole-1-			
propanetrile]			
88671-89-0			
Proprietary Solvent 1	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h
Proprietary Solvent 2	= 490 mg/kg(Rat)= 1110 mg/kg(> 20 g/kg (Rabbit)= 1120 mg/kg (> 340 mg/m³ (Rat)1 h
	Rat)	Rabbit)	

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Proprietary Solvent 2	A3	Group 2A	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Aspiration hazard	May be fatal if swallowed and enters airways.

Product Information (Numerical measures of toxicity) Acute Oral LD50 (Rat): >2,000 mg/kg Acute Dermal LD50 (Rabbit): >2,000 mg/kg Acute Inhalation LC50 (Rat): >2.0 mg/L (4-hr) Eye Irritation: Severely irritating. Dermal Irritation: Moderately irritating. Dermal Sensitization: Not a skin sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift or runoff from areas treated.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Solvent 1	2.5: 72 h Skeletonema costatum mg/L EC50	41: 96 h Pimephales promelas mg/L LC50 1740: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 19: 96 h Pimephales promelas mg/L LC50 static 2.34: 96 h Oncorhynchus mykiss mg/L LC50		0.95: 48 h Daphnia magna mg/L EC50
Proprietary Solvent 2	0.4: 72 h Skeletonema costatum mg/L EC50	5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow- through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static		2.16: 48 h Daphnia magna mg/L LC50 1.96: 48 h Daphnia magna mg/L EC50 Flow through 1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Chemical Name	Partition Coefficient
Proprietary Solvent 1	2.9 - 6.1
Proprietary Solvent 2	3.3

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Proprietary Solvent 2	U165	Included in waste streams:		U165
		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Proprietary Solvent 2			Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Proprietary Solvent 2	Тохіс

14. TRANSPORT INFORMATION

DOT

Package less than 119 Gal. (450 Lt.): Not regulated.

IATA_	
UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s. (Petroleum distillates)
Hazard Class	3
Packing Group	III
IMDG	
UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s. (Petroleum distillates)
Hazard Class	3
Packing Group	III
Marine Pollutant	Yes

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Myclobutanil [.alphaButyl- .alpha(4-chlorophenyl)-1H- 1,2,4-triazole-1-propanetrile]							Х	Present		
Proprietary Solvent 1	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Solvent 2	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Proprietary Solvent 2	1 lb		RQ 1 lb final RQ
			RQ 0.454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Myclobutanil [.alphaButylalpha(4-chlorophenyl)-1H- 1,2,4-triazole-1-propanetrile] - 88671-89-0	88671-89-0	15-20	1.0
Proprietary Solvent 2	Proprietary	<2.1	0.1

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Proprietary Solvent 2	100 lb	Х	Х	Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Myclobutanil [.alphaButylalpha(4-chlorophenyl)-1H-1,2,4-triazole-1-	Developmental	
propanetrile] - 88671-89-0	Male Reproductive	
Proprietary Solvent 2	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Myclobutanil [.alphaButylalpha	Х		
(4-chlorophenyl)-1H-1,2,4-triazole-1-			
propanetrile]			
88671-89-0			
Proprietary Solvent 2	Х	Х	Х

EPA Pesticide Registration Number Reg. No. 66222-185

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Signal Word: Caution

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

	EPA	OSHA
Signal Word	Caution	Danger
Acute toxicity - Oral	Harmful if swallowed	May be harmful if swallowed
Acute toxicity - Dermal	Harmful if absorbed through the skin	N/A
Acute toxicity - Inhalation (Dusts/Mists)	N/A	Harmful if inhaled
Serious eye damage/eye irritation	Causes moderate eye irritation	Causes serious eye irritation
Carcinogenicity	N/A	May cause cancer
Reproductive toxicity	N/A	Suspected of damaging fertility or the unborn child
Aspiration Hazard	N/A	May be fatal if swallowed and enters airways

Difference between SDS and EPA pesticide label

16. OTHER INFORMATION

NFPA

<u>HMIS</u>

Issue Date: Revision Date: Revision Note: Health Hazards Not determined Health Hazards Not determined Flammability Not determined Flammability Not determined

05-Aug-2009 16-Nov-2015 Updated format from 07-Apr-2015 Instability Not determined Physical Hazards Not determined Special Hazards Not determined Personal Protection Not determined

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet