

Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Garlon® 4 Ultra

EPA Reg. No. 62719-527

2(ee) Recommendation†

For Use and Distribution in the State of Texas Only

This product bulletin expires December 31, 2020, and must not be used or distributed after this date.

Control of susceptible weeds pre or post planting of certain annual and perennial grasses

ATTENTION

† This recommendation is permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It as a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Garlon® 4 Ultra herbicide.

Directions for Use

Garlon 4 Ultra controls only broadleaf plants that are emerged at the time of application. See the main label for a list of susceptible weeds.

PRECAUTIONS

Post emergence applications on newly emerged or established sorghum sudangrass, teff, crabgrass, and pearl millet are not recommended. Unacceptable injury or death of these grasses may occur with Garlon 4 Ultra applications.

Pre-plant applications for control of susceptible emerged weeds

Apply Garlon 4 Ultra at a maximum of 1.5 pts/acre with a non-ionic surfactant to control susceptible weeds prior to planting tall fescue, orchardgrass, timothy, and annual ryegrass, sorghum sudangrass, teff, crabgrass, and pearl millet. Applications can be made the same day of planting.

Post planting applications for control of susceptible emerged weeds

Apply Garlon 4 Ultra at a maximum of 1.5 pts/acre with a non-ionic surfactant to tall fescue, orchardgrass, timothy, and annual ryegrass after seedling plants have at least reached the V3 stage (three collared leaves).

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R329-010

Approved: 09/15/17

Initial printing